

### MATERIAL SAFETY DATA SHEET

# PRODUCT NAME: VIPER VENOM POWDER WITH CITRUS CR23

### SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

**PRODUCT NAME**: Viper Venom Powder with Citrus

Fabchem, inc 848 N Rainbow Blvd Suite 3679

Las Vegas, Nevada 89107

Company Phone Number: 800-510-2436

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared: 3/26/2013

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 0 Health: 2 Reactivity: 0

### SECTION 2: INGREDIENTS

<u>HAZARDOUS INGREDIENTS</u>: TLV OSHA PEL

Glycol Ether EB (CAS # 111-76-2) 20ppm 50ppm Sodium Metasilicate (CAS # 6834-92-0) N/E N/E

### SECTION 3: HEALTH HAZARD INFORMATION

#### IMMEDIATE HEALTH EFFECTS

**Eyes:** Overexposure may cause irritation to eyes.

**Skin:** Prolonged and repeated contact may cause irritation to skin.

**Inhalation:** Inhalation may cause irritation of upper respiratory passages.

Ingestion: Single dose oral toxicity is low. Swallowing large amounts may be harmful.

**PRIMARY ROUTES OF ENTRY:** Eyes, skin contact/absorption, inhalation or ingestion.

**SIGNS/SYMPTOMS OF OVEREXPOSURE:** Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.

**TARGET ORGAN EFFECTS:** Irritation of the skin and eyes. Irritation of lungs possible if mists/aerosols are inhaled.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data available.

#### **CARCINOGENICITY:**

**NTP**: Known – No; Anticipated – No **OSHA**: No **IARC**: Not classifiable as to carcinogene to humans.

LONG TERM EFFECTS: No data available.

## MATERIAL SAFETY DATA SHEET PRODUCT NAME: VIPER VENOM POWDER WITH CITRUS CR21

Page 2 of 4

### SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

**EYES:** Flush eyes with water for at least 15 minutes. If irritation persists, consult a physician.

**SKIN:** If irritation occurs, flush skin with water for at least 15 minutes. If irritation persists, consult a physician

**INHALATION:** If symptoms of overexposure develop, remove to fresh air. If symptoms persist, consult a physician.

**INGESTION:** Give 8 to 16 ounces of water to dilute substance. Do not induce vomiting. Consult a physician or local Poison Control Center. Never give anything by mouth to an unconscious person.

### SECTION 5: FIRE, EXPLOSION & REACTIVITY DATA

**FLASH POINT: N/A** 

**EXPLOSIVE LIMITS:** No data available.

**AUTOIGNITION TEMPERATURE:** No data available.

**HAZARDOUS PRODUCTS OF COMBUSTION:** Product is not flammable. Use after, carbon dioxide, dry powder or other media appropriate for materials actually involved in fire.

**EXTINGUISHING MEDIA:** Water spray, foam, dry chemical powder of carbon dioxide.

FIRE FIGHTING INSTRUCTIONS: None.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

Sweep up for reuse when possible. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations.

### SECTION 7. PRECAUTIONS FOR HANDLING AND STORAGE

Store out of reach of children. Keep container closed. Store in a cool, dry location. Avoid freezing or extended storage in high temperatures and away from strong oxidizers and acid products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation System	Room ventilation is normally satisfactory. Mechanical assist may
Personal Respirators	be required when vapors or mist are generated.  Respirator recommended if product is misted. Use NIOSH/MSHA approved respiratory protection.
	Rubber gloves are recommended & other clothing that will prevent contact with this product.
Eye Protection	1

## MATERIAL SAFETY DATA SHEET PRODUCT NAME: VIPER VENOM POWDER WITH CITRUS CR21

Page 3 of 4

### SECTION 9: PHYSICAL DATA

**Odor**: Lemon-lime fragrance

Physical State: Light yellow granular powder.

pH at 1 %: 11.9 Bulk Density: .816 g/cc Boiling Point: N/D

Freezing/Melting Point: N/E

**Vapor Pressure:** N/D **Vapor Density:** N/D

Solubility in Water @ 70 °F: 19.0%

### SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

**CONDITIONS TO AVOID:** None with proper storing and handling.

MATERIALS TO AVOID: Strong acids and oxidizing materials.

**HAZARDOUS DECOMPOSITION:** Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids and other unidentified thermal decomposition products from this product or its packaging.

**HAZARDOUS POLYMERIZATION:** Will not occur.

### SECTION 11. TOXICOLOGICAL INFORMATION

**Glycol Ether EB -** Oral Rat LD50: 500- 3000 mg.kg Dermal Rabbit LD50: 400 mg/kg; Inhalation Rat LC50: 450 ppm. (4 hours)

**Sodium Metasilicate** -The acute oral toxicity of this product has not been tested. When sodium silicates were tested on a 100% solids basis, their single dose acute oral LD50 in rats ranged from 1500 mg/kg to 3200 mg/kg. The acute oral lethality resulted from nonspecific causes.

### SECTION 12. ECOLOGICAL INFORMATION

#### **Glycol Ether EB**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in most sensitive species tested).

Fish Acute & Prolonged Toxicity

LC50, bluegill (Lepomis macrochirus), 96 h: 820 - 1,490 mg/l

LC50, rainbow trout (Oncorhynchus mykiss), 96 h: 1,700 mg/l

Aquatic Invertebrate Acute Toxicity

LC50, water flea Daphnia magna: 835 mg/l

EC50, water flea Daphnia magna, immobilization: 1,600 - 2,500 mg/l

LC50, grass shrimp (Palaemonetes pugio), static, 96 h: 5.4 mg/l

LC50, common shrimp Crangon crangon, static, 96 h: 550 - 950 mg/l

**Aquatic Plant Toxicity** 

EC50, green alga Pseudokirchneriella subcapitata (formerly known as Selenastrum capricornutum), biomass growth inhibition, 72 h: 911 mg/l

# MATERIAL SAFETY DATA SHEET PRODUCT NAME: VIPER VENOM POWDER WITH CITRUS CR21

Page 4 of 4

Toxicity to Micro-organisms IC50; bacteria: > 1,000 mg/l

**Sodium Metasilicate**: A 96 hour median tolerance for fish (Gambusia affnis) of 2320 ppm; a 96 hour median tolerance for water fleas(Daphnia magna) of 247 ppm; a 96 hour median tolerance for snail eggs (Lymnea) of 632 ppm; and a 96 hour median tolerance for Amphipoda of 160 ppm.

### SECTION 13. DISPOSAL CONSIDERATIONS

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be reused or flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. <u>All</u> disposal <u>must be</u> in accordance with all federal, state and local regulations.

### SECTION 14. TRANSPORTATION

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

### SECTION 15. REGULATORY INFORMATION

#### US FEDERAL REGULATIONS

**TSCA Status:** The intentional components of this product are listed.

SARA - Section 313 (Toxic Chemical Release Reporting) 40 CFR 372 - Glycol Ether EB.

### SECTION 16. OTHER INFORMATION

This product has no established regulatory information. All regulatory information given is based on individual components of the mixture by component number. While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. Hydro-Force Manufacturing MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A= Not applicable N/D= Not determined N/E= Not established