# HYDRO-FORCE

### **MATERIAL SAFETY DATA SHEET**

## PRODUCT NAME: VIPER RENEW CH49

#### **SECTION 1: PRODUCT INFORMATION**

<u>Distributed By:</u> Hydro-Force, 4282 S 590 W, Salt Lake City, Utah 84123

Company Phone Number: 801-268-2673

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared:4/1/08

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 0 Health: 2 Reactivity: 0

#### **SECTION 2: INGREDIENTS**

PRINCIPLE HAZARDOUS INGREDIENTS:	Oral LD	Dermal LD	<u>TLV</u>	<u>%</u>
Urea Monohydrochloride (CAS# 506-89-8)	N/E	N/E	N/E	>30%
Glycol Ether DPNB (CAS# 29911-28-2)	N/E	N/E	N/E	<5%

#### **SECTION 3: PHYSICAL DATA**

Boiling Point (°F)212	Specific Gravity( $H_2O=1$ )(1.1)
Vapor Pressure (mmHg.)N/E	Percent Volatile by VolumeN/E
Vapor Density (AIR=1)N/E	PH (1% Solution)(1.0)
Solubility in WaterComplete	

Appearance & Odor......Clear amber liquid with acrid odor

#### **SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA**

**Flash Point:** Non Flammable

**Extinguishing Media:** Water Spray, carbon dioxide, dry chemical

**Special Fire Fighting** 

**Procedures:** 

Wear self contained breathing apparatus & full body protection

Unusual Fire and At temperatures above 140oF acid action on most metals may release hydrogen, a highly flammable and explosive gas

**Stability:** Considered stable up to 230oF

**Chemical** Incompatible with oxidizing agents. May be extremely

**Incompatibility:** hazardous in contact with chlorates or nitrates. Contact with

hypochlorites will liberate toxic gases. Contact with ammonia

will generate heat

Hazardous Thermal decomposition may yield oxides of carbon, nitrogen

**Decomposition or** and chlorine. Hydrogen gas may be released upon contact

**Byproducts:** with certain metals

Hazardous Will not occur

**Polymerization:** 

**Conditions to Avoid:** Heating above 230oF results in exothermic decomposition

with rapid release of carbon dioxide gas

#### **SECTION 5: HEALTH HAZARD INFORMATION**

Route(s) of Eyes: Yes Skin: Yes Inhalation: Yes Ingestion: Yes

entry Health Eyes – Causes burns to eyes

Hazards: Skin – Prolonged or repeated contact can cause irritation

Inhalation – Can be irritating to respiratory tract if inhaled as a mist

or if the material is vaporized

Ingestion – May be harmful or fatal if ingested

Carcinogenicity: NPT? No OSHA? N/E IARC Monograph? No

#### **SECTION 6: EMERGENCY AND FIRST AID PROCEDURES**

Eyes....... Immediately flush with water for 15 minutes. Get medical attention

Skin....... Immediately flush with mild soap and water for 15 minutes. Get medical

attention

Inhalation... if irritation occurs. Remove contaminated clothing and launder before

reuse.

Ingestion... Move to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen and get medical attention. **Do not induce vomiting**. If conscious, give 3 to 4 glasses of water to dilute and get

immediate medical attention.

#### **SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE**

Respiratory Protection... Use NIOSH approved respirator if mists or vapors are created

Protective Clothing...... Use impervious (rubber, nitrile) gloves and clothes that will

prevent contact with skin.

Eye Protection...... Use chemical goggles or full face shield

Ventilation...... Mechanical assisted ventilation may be required

closed when not in use. Do not store in metal containers,

especially aluminum.

#### SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Evacuate and ventilate area. Absorb with chemical absorbent material and sweep up for disposal or contain and collect for reuse. Dike to keep from spreading. Prevent spills from entering sewers or waterways. All disposal must be in accordance with all federal, state and local regulations.

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. HYDRO-FORCE MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not Applicable N/D = Not Determined N/E = Not Established